

C SYSTEM MANUAL CONTROL



Uni-Blinds®

Innovation comes built-in

LIGHT & SHADE MADE EASY



The Corded Uni-Blind is a patented magnetic system enabling the manual operation of Venetian blinds incorporated within the 20, 22, 27 or 29mm cavity of insulating glass units. With this system, the slat raising, lowering and tilting function is achieved using a rotational magnetic transmission through the glass, thereby guaranteeing the double-glazed unit's hermetic seal. Two set of magnets work together to provide this functionality – one is inserted in the blind head rail within the cavity and the other applied to the external glass surface.

Be in full control of the light in your home

A continuous cord loop drives the external magnet, which controls the raising and lowering of the blind. The cord is held lightly under tension by a cord tensioner and fully complies with the British Blind and Shutter Association – 'Make it Safe' campaign.



**make it
safe**

BENEFITS OF THE CORDED SYSTEM

Simple, elegant, corded blinds

- Suitable for all vertical window applications
- Ideal solution for conservatory shading
- Total privacy and light control for sliding or bi-fold doors
- Enables excellent utilisation of partitioned office space requiring privacy
- Suitable for retro installation into existing frames



HOW THE C SYSTEM OPERATES

^ RAISING

v LOWERING

⌵ TILTING

There are several different ways that Uni-Blinds® Venetian blinds can be operated using the C System. They are all equally reliable and smooth so the choice is really down to how the blinds will be used and personal preference.



Cord

With the cord mechanism, the slat raising, lowering, and tilting function is achieved using a rotational magnetic transmission through the glass. This is taken care of by one set of magnets inserted in the blind head rail within the cavity and the other applied to the external glass surface.



Wand

The wand mechanism comprises a small pole attached at the top to the room-facing pane of the double glazed unit. It is twisted to open and close the blind just like traditional Venetian blinds. Please note that wand operation can only function to tilt the blind and cannot be used to raise the blinds completely.



Rotational Knob

A stylish rotational knob mechanism is recommended for tilt-only Uni-Blinds® where a clean window or door's appearance is sought, free of the obstruction of a cord or wand down the glass unit. The rotational knob enables the opening and closing of the Venetian blind in a smooth, easy to use motion.

ADD A SPLASH OF COLOUR

All Venetian Uni-Blinds® will match the style and décor of any home. There are 10 colours to choose from, which include Anthracite Grey, exclusive to Uni-Blinds®.

SLAT COLOUR



S102

S102 WHITE
Solar reflection 70%
Light reflection 78%
Solar absorption 30%
Standard colour



S106

S106 YELLOW
Solar reflection 62%
Light reflection 72%
Solar absorption 38%



S155

S155 GREY
Solar reflection 42%
Light reflection 48%
Solar absorption 59%



S159
EXCLUSIVE

S159 ANTHRACITE
Solar reflection 12%
Light reflection 13%
Solar absorption 88%



S125

S125 BEIGE
Solar reflection 57%
Light reflection 63%
Solar absorption 43%



S130

S130 GREEN
Solar reflection 58%
Light reflection 65%
Solar absorption 42%




S157

S157 SILVER
Solar reflection 43%
Light reflection 44%
Solar absorption 57%
Standard colour



S142

S142 LIGHT BLUE
Solar reflection 65%
Light reflection 69%
Solar absorption 35%



S149

S149 CREAM
Solar reflection 68%
Light reflection 75%
Solar absorption 32%
Standard colour



S156

S156 METALLIC SILVER
Solar reflection 65%
Light reflection 62%
Solar absorption 35%

CORD MECHANISM COLOUR



TRANSPARENT



BEIGE



LIGHT
GREY



BLACK

HEADRAIL COLOUR

Headrail colour to match blind slat.



Uni-Blinds®

Innovation comes built-in